



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

*In re* Application of:

Chiao *et al.*

Serial No.: 10/817,402

Art Unit: 3752

Filed: March 29, 2004

Examiner: Boeckmann, Jason J.

Confirmation No.: 3200

Title: Replaceable Electrostatically Sprayable Material Reservoir Design For Use With  
A Electrostatic Spraying Device

**COVER SHEET**

Mail Stop Amendment  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

The following are herewith filed in response to the Examiner's Office Action mailed on July 22, 2010 for the above-captioned U.S. Patent Application. This response is timely because the date of response fell on a Saturday (January 22, 2011) and this response was filed on the next business day (January 24, 2011). Applicants have filed a Petition for an Extension of Time under 37 CFR 1.136(a). The following documents are enclosed:

1. Preliminary Amendment Accompanying Request for Continued Examination;
2. Amended Drawing Sheets;
3. Request for Continued Examination (PTO/SB/30);
4. Petition for Extension of Time (PTO/SB/22);
5. Check for fee; and
6. Acknowledgement Postcard

Commissioner for Patents  
Application Serial No. 10/817,402  
January 24, 2011  
Page 2

Applicants respectfully request the prompt consideration of the foregoing documents.

Respectfully submitted,

January 24, 2011

Date

David M. O'Neill (35,304)

David M. O'Neill (35,304)  
786 Townsend Avenue  
New Haven, CT. 06512  
Telephone: (203) 467-0759

---

### CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. 1450, Alexandria, VA 22313-1450 on the date indicated.

January 24, 2011

Date

David M. O'Neill

Name of Person Making Deposit